



# TECTUL

# UNIÓN REDUCIDA ALUMINIO

## MATERIALES

### CARACTERÍSTICAS FÍSICAS



### CARACTERÍSTICAS DIMENSIONALES




## DATOS TÉCNICOS

MEDIDA MANGUERA [In]	DIÁMETRO MANGUERA [mm] (B1)	INSERCIÓN MANGUERA [mm] (D1)	DIÁMETRO INTERNO [mm] (C1)	DIÁMETRO MANGUERA [mm] (B2)	INSERCIÓN MANGUERA [mm] (D2)	DIÁMETRO INTERNO [mm] (C2)	ALTURA [mm] (E)	PESO (g)
3/4" X 1/2"	22,00*	36,90*	15,00*	16,60*	37,05*	10,00*	73,95*	37*
1" X 1/2"	26,50*	47,25*	19,00*	16,60*	37,05*	10,00*	84,30*	45*
1" X 3/4"	26,50*	47,25*	19,00*	22,00*	36,90*	15,00*	84,15*	58*
1 1/4" X 1/2"	40,10*	62,00*	31,20*	16,60*	37,05*	10,00*	99,05*	76*
1 1/4" X 3/4"	40,10*	62,00*	31,20*	22,00*	36,90*	15,00*	98,90*	86*
1 1/4" X 1"	40,10*	62,00*	31,20*	26,50*	47,25*	19,00*	109,25*	93*
1 1/2" X 1/2"	40,10*	60,80*	31,20*	16,60*	37,05*	10,00*	97,85*	103*
1 1/2" X 3/4"	40,10*	60,80*	31,20*	22,00*	36,90*	15,00*	97,70*	110*
1 1/2" X 1"	40,10*	60,80*	31,20*	26,50*	47,25*	19,00*	108,05*	118*
1 1/2" X 1 1/4"	40,10*	60,80*	31,20*	40,10*	62,00*	31,20*	122,80*	126*
2" X 1/2"	52,60*	67,10*	41,35*	16,60*	37,05*	10,00*	104,15*	183*
2" X 3/4"	52,60*	67,10*	41,35*	22,00*	36,90*	15,00*	104,00*	196*
2" X 1"	52,60*	67,10*	41,35*	26,50*	47,25*	19,00*	114,35*	200*
2" X 1 1/4"	52,60*	67,10*	41,35*	40,10*	62,00*	31,20*	129,10*	180*
2" X 1 1/2"	52,60*	67,10*	41,35*	40,10*	60,80*	31,20*	127,90*	220*
3" X 1"	76,30*	97,55*	66,00*	26,50*	47,25*	19,00*	144,80*	380*
3" X 1 1/2"	76,30*	97,55*	66,00*	40,10*	60,80*	31,20*	158,35*	382*
3" X 2"	76,30*	97,55*	66,00*	52,60*	67,10*	41,35*	164,65*	441*
3" X 2 1/2"	76,30*	97,55*	66,00*	62,00*	78,15*	54,60*	175,70*	525*
4" X 2"	97,50*	99,55*	89,00*	52,60*	67,10*	41,35*	166,65*	646*
4" X 3"	97,50*	99,55*	89,00*	76,30*	97,55*	66,00*	197,10*	778*

\* Fotos y medidas referenciales, sujetas a cambios sin previo aviso por parte del proveedor o fabricante.

DATOS TÉCNICOS	
ATRIBUTO	DESCRIPCIÓN
Tipo de Pieza	Unión
Cuerpo	Aluminio
Rango Máximo de Presión	1/2" - 4" 150 PSI / 5" -6" 75 PSI
Temperatura	Ambiente
Características	Aleación de aluminio, diseñada especialmente para alta resistencia a la tensión, ligereza y rigidez.
Conexión	Adaptador Manguera - Adaptador Manguera



\* Fotos y medidas referenciales, sujetas a cambios sin previo aviso por parte del proveedor o fabricante.

Última Revisión: Octubre 2021



# TECTUL


# ALUMINUM REDUCED UNION

## MATERIALS

## PHYSICAL CHARACTERISTICS



## DIMENSIONAL CHARACTERISTICS




TECNICAL DATA								
HOSE SIZE [in]	HOSE DIAMETER [mm] (B1)	HOSE INSERTION [mm] (D1)	HOSE DIAMETER [mm] (C1)	HOSE DIAMETER [mm] (B2)	HOSE INSERTION [mm] (D2)	HOSE DIAMETER [mm] (C2)	HEIGHT [mm] (E)	WEIGHT (g)
3/4" X 1/2"	22,00*	36,90*	15,00*	16,60*	37,05*	10,00*	73,95*	37*
1" X 1/2"	26,50*	47,25*	19,00*	16,60*	37,05*	10,00*	84,30*	45*
1" X 3/4"	26,50*	47,25*	19,00*	22,00*	36,90*	15,00*	84,15*	58*
1 1/4" X 1/2"	40,10*	62,00*	31,20*	16,60*	37,05*	10,00*	99,05*	76*
1 1/4" X 3/4"	40,10*	62,00*	31,20*	22,00*	36,90*	15,00*	98,90*	86*
1 1/4" X 1"	40,10*	62,00*	31,20*	26,50*	47,25*	19,00*	109,25*	93*
1 1/2" X 1/2"	40,10*	60,80*	31,20*	16,60*	37,05*	10,00*	97,85*	103*
1 1/2" X 3/4"	40,10*	60,80*	31,20*	22,00*	36,90*	15,00*	97,70*	110*
1 1/2" X 1"	40,10*	60,80*	31,20*	26,50*	47,25*	19,00*	108,05*	118*
1 1/2" X 1 1/4"	40,10*	60,80*	31,20*	40,10*	62,00*	31,20*	122,80*	126*
2" X 1/2"	52,60*	67,10*	41,35*	16,60*	37,05*	10,00*	104,15*	183*
2" X 3/4"	52,60*	67,10*	41,35*	22,00*	36,90*	15,00*	104,00*	196*
2" X 1"	52,60*	67,10*	41,35*	26,50*	47,25*	19,00*	114,35*	200*
2" X 1 1/4"	52,60*	67,10*	41,35*	40,10*	62,00*	31,20*	129,10*	180*
2" X 1 1/2"	52,60*	67,10*	41,35*	40,10*	60,80*	31,20*	127,90*	220*
3" X 1"	76,30*	97,55*	66,00*	26,50*	47,25*	19,00*	144,80*	380*
3" X 1 1/2"	76,30*	97,55*	66,00*	40,10*	60,80*	31,20*	158,35*	382*
3" X 2"	76,30*	97,55*	66,00*	52,60*	67,10*	41,35*	164,65*	441*
3" X 2 1/2"	76,30*	97,55*	66,00*	62,00*	78,15*	54,60*	175,70*	525*
4" X 2"	97,50*	99,55*	89,00*	52,60*	67,10*	41,35*	166,65*	646*
4" X 3"	97,50*	99,55*	89,00*	76,30*	97,55*	66,00*	197,10*	778*

\* Reference photos and measurements, subject to change without prior notice from the supplier or manufacturer.

TECNICAL DATA	
ATTRIBUTE	DESCRIPTION
Type of Piece	Union
Body	Aluminum
Maximum Pressure Range	1/2" - 4" 150 PSI / 5" - 6" 75 PSI
Temperature	Environment
Features	Aluminum alloy, specially designed for high tensile strength, lightness and rigidity.
Connection	Hose Adapter - Hose Adapter

\* Reference photos and measurements, subject to change without prior notice from the supplier or manufacturer.



Last Revision: October 2021